Response Dated: January 13, 2011

Reply to Office Action Dated: October 13, 2010

AMENDMENTS TO THE CLAIMS

Please amend the claims as follows:

Listing of Claims:

- 1. (Currently amended): A light protecting composition comprising
- at least one polysiloxane-based UV filter,
- at least one additional UV filter which chromophore contains b) appropriate bulky (sterically demanding) substituents selected from the group consisting of 2-(4-diethylamino-2-hydroxy-benzoyl)-benzoic acid hexylester, 4-methyl benzylidene camphor, 3-benzylidenecamphor, homosalate, benzylidenecamphor sulfonic acid, methylene bis-benzotriazo tetramethylbutylphenol, drometrizole trisiloxane, camphor benzalkonium methosulfate,
 - a carrier for the components a), b) and d), and optionally c)
 - additional UV filter(s) d)

with the proviso that 4,4',4"-(1,3,5-triazine-2,4,6-triyltriimino)-tris-benzoic-acid-tris(2ethylhexylester) is not present in the composition.

2. (Previously presented): A light protecting composition according to claim 1, wherein the polysiloxane-based UV filter is a compound according to formula la or lb:

Application No.: 10/578,792

Response Dated: January 13, 2011

Reply to Office Action Dated: October 13, 2010

$$\begin{array}{c|c}
R & R \\
\hline
-SiO _{t} & -SiO _{v} \\
R & A
\end{array}$$

lb,

wherein

X is R or A;

A is selected from formula IIa, IIb or IIc:

Application No.: 10/578,792 Response Dated: January 13, 2011

Reply to Office Action Dated: October 13, 2010

$$R^6$$
 R^2
 R^5
 R^1
 $COOR^3$
 R^5

 $R \hspace{1cm} \text{is hydrogen, } C_{1\text{-}6}\text{-}\text{alkyl or phenyl};$

 R^1 and R^2 are each independently hydrogen, hydroxy, C_{1-6} -alkyl or C_{1-6} -

alkoxy;

 R^3 is C_{1-6} -alkyl;

R⁴ is hydrogen or C₁₋₆-alkyl;

 R^5 and R^6 are each independently hydrogen or C_{1-6} -alkyl;

r is from 0 to 250;

s is from 0 to 20;

r + s is at least 3;

t is from 0 to 10;

Application No.: 10/578,792 Response Dated: January 13, 2011

Reply to Office Action Dated: October 13, 2010

v is from 0 to 10;

v + t is at least 3; and

n is from 1 to 6;

with the proviso that when s is 0, at least one X is A.

3. (Previously presented): A light protecting composition according to claim 2, wherein

X is methyl,

A is a group of the formula IIa or IIb,

R is methyl,

R¹ and R² are each hydrogen,

R³ is ethyl,

R⁴ is hydrogen,

 R^5 and R^6 are hydrogen,

r is a statistical mean value of about 60,

s is a statistical mean value of about 4 and

n is 1.

- 4. (Canceled).
- 5. (Canceled).
- 6. (Previously presented): A light protecting composition according to claim 1 wherein the additional UV filter(s) d) are selected from the group consisting of

Application No.: 10/578,792

Response Dated: January 13, 2011

Reply to Office Action Dated: October 13, 2010

phenylbenz-imidazole sulfonic acid, disodium phenyl dibenzimidazole tetrasulfonate, benzophenone-3, benzophenone-4, TiO₂ and ZnO.

7. (Previously presented): A light protecting composition according to claim 1 wherein the sum-amount of all UV filters a) is lower or equal to the sum-amount of all UV filters b) and d).

8. (Withdrawn - currently amended): A method to increase the ratio of the sun-protecting factor to the total UV filter amount in a light protecting composition, the method comprising

- the addition of a polysiloxane-based UV filter in order to reduce the a) amount of a UV filter which is liquid at room temperature (25°C) by which the total UV filter amount will be reduced, and
- b) the addition of UV filter(s) containing bulky groups and, and optionally
- the addition of UV filter(s) which are not liquid at room temperature c) (25°C) in order to increase the sunprotecting factor of the light protecting composition.
- 9. (Withdrawn currently amended): A method according to claim 8, wherein the UV filter which is liquid at room temperature (25°C) is selected from the group consisting of octocrylene, ethylhexyl methoxycinnamate, PEG-25 PABA, isoamyl p-methoxycinnamate and octyl dimethyl PABA.

Application No.:

10/578,792

Response Dated: January 13, 2011

Reply to Office Action Dated: October 13, 2010

10. (Withdrawn): A method according to claim 8, wherein the UV filter(s) containing bulky substituents are selected from the group consisting of 2-(4benzylidene hexylester, 4-methyl Diethylamino-2-hydroxybenzoyl)-benzoic acid champhor, 3-benzylidenecamphor, butyl methoxydibenzoylmethane, homosalate, benzylidenecamphor sulfonic acid, methylene bis-benzotriazo tetramethylbutylphenol and drometrizole trisiloxane.

11. (Withdrawn - currently amended): A method according to claim 8, wherein the UV filter(s) which is not liquid at room temperature (25°C) is selected from the group consisting of phenylbenzimidazole sulfonic acid, disodium phenyl dibenzimidazole, tetrasulfonate ethylhexy triazone, diethylhexyl butamido triazone, bisethylhexyloxyphenol methoxyphenyl triazine, benzophenone-3, benzophenone-4, TiO₂ and ZnO.